



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

High There Peach Seltzer 10mg

Sample ID: 2601NBL0190.0552

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/28/2026

Completed: 02/09/2026

Expires: 02/09/2027

External Lot ID: T-261

Batch#: T-261

Client

Scofflaw Brewing Company

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com



Summary

Test	Date Tested	Result
Cannabinoids	01/29/2026	Complete
Residual Solvents	02/09/2026	Complete
Microbials	01/30/2026	Complete
Mycotoxins	02/09/2026	Complete
Pesticides	02/09/2026	Complete
Heavy Metals	02/05/2026	Complete
Foreign Matter	01/28/2026	Not Detected

Cannabinoids

Complete

9.201 mg/unit	0.0026%	ND	9.201 mg/unit
Total THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
(6aR,9R)-d10-THC	mg/unit	mg/unit	ND	ND	ND
9R-HHC	0.8947	1.342	ND	ND	ND
(6aR,9S)-d10-THC	0.8947	1.342	ND	ND	ND
9S-HHC	0.8947	1.342	ND	ND	ND
CBC	0.8947	1.342	ND	ND	ND
CBCa	0.8947	1.342	ND	ND	ND
CBD	0.8947	1.342	ND	ND	ND
CBDa	0.8947	1.342	ND	ND	ND
CBDV	0.8947	1.342	ND	ND	ND
CBDVa	0.8947	1.342	ND	ND	ND
CBG	0.8947	1.342	ND	ND	ND
CBGa	0.8947	1.342	ND	ND	ND
CBN	0.8947	1.342	ND	ND	ND
CBNa	0.8947	1.342	ND	ND	ND
Δ8-THC	0.8947	1.342	ND	ND	ND
Δ9-THC	0.8947	1.342	9.201	0.02599	0.003
THCa	0.8947	1.342	ND	ND	ND
THCp	0.8947	1.342	ND	ND	ND
THCV	0.8947	1.342	ND	ND	ND
THCVa	0.8947	1.342	ND	ND	ND
Total THC			9.201	0.02599	0.003
Total CBD			ND	ND	ND
Total			9.201	0.02599	0.003

Date Tested: 01/29/2026

Density: 1 mL = 1.011 g, Unit Mass: 357.894 g, 1 Unit = 12 fl oz

Testing Method: HPLC, CON-P-3000

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected

Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.



Ashley Phillips

Ashley Phillips
Laboratory Director
02/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

High There Peach Seltzer 10mg

Sample ID: 2601NBL0190.0552

Received: 01/28/2026

Client

Matrix: Ingestible

Completed: 02/09/2026

Scofflaw Brewing Company

Type: Beverage

Expires: 02/09/2027

Lic. #

Sample Size:

External Lot ID: T-261

1738 MacArthur Blvd NW Atlanta, GA 30318

Batch#: T-261

(843) 602-1641 jp@scofflawbeer.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
Abamectin	0.093	0.027	ND	Tested	Hexythiazox	0.090	0.027	ND	ND	Tested	
Acephate	0.090	0.027	ND	Tested	Imazalil	0.090	0.027	ND	ND	Tested	
Acequinocyl	0.090	0.027	ND	Tested	Imidacloprid	0.090	0.027	ND	ND	Tested	
Acetamiprid	0.090	0.027	ND	Tested	Kresoxim Methyl	0.090	0.027	ND	ND	Tested	
Aldicarb	0.090	0.027	ND	Tested	Malathion	0.090	0.027	ND	ND	Tested	
Azoxystrobin	0.090	0.027	ND	Tested	Metalaxyl	0.090	0.027	ND	ND	Tested	
Bifenazate	0.090	0.027	ND	Tested	Methiocarb	0.090	0.027	ND	ND	Tested	
Bifenthrin	0.090	0.027	ND	Tested	Methomyl	0.090	0.027	ND	ND	Tested	
Boscalid	0.090	0.027	ND	Tested	Mevinphos	0.090	0.027	ND	ND	Tested	
Captan	0.627	0.188	ND	Tested	Myclobutanil	0.090	0.027	ND	ND	Tested	
Carbaryl	0.090	0.027	ND	Tested	Naled	0.224	0.068	ND	ND	Tested	
Carbofuran	0.090	0.027	ND	Tested	Oxamyl	0.090	0.027	ND	ND	Tested	
Chlorantraniliprole	0.090	0.027	ND	Tested	Paclobutrazol	0.090	0.027	ND	ND	Tested	
Chlorfenapyr	0.072	0.027	ND	Tested	Methyl Parathion	0.072	0.027	ND	ND	Tested	
Chlormequat	0.090	0.027	ND	Tested	Pentachloronitrobenzene	0.072	0.027	ND	ND	Tested	
Chlorpyrifos	0.090	0.027	ND	Tested	Permethrins	0.090	0.027	ND	ND	Tested	
Clofentezine	0.090	0.027	ND	Tested	Phosmet	0.090	0.027	ND	ND	Tested	
Coumaphos	0.090	0.027	ND	Tested	Piperonyl Butoxide	0.090	0.027	ND	ND	Tested	
Cyfluthrin	0.448	0.134	ND	Tested	Prallethrin	0.090	0.027	ND	ND	Tested	
Cypermethrin	0.448	0.134	ND	Tested	Propiconazole	0.090	0.027	ND	ND	Tested	
Daminozide	0.896	0.269	ND	Tested	Propoxur	0.090	0.027	ND	ND	Tested	
Diazinon	0.090	0.027	ND	Tested	Pyrethrins	0.448	0.134	ND	ND	Tested	
Dichlorvos	0.045	0.014	ND	Tested	Pyridaben	0.090	0.027	ND	ND	Tested	
Dimethoate	0.090	0.027	ND	Tested	Spinetoram	0.090	0.027	ND	ND	Tested	
Ethoprophos	0.090	0.027	ND	Tested	Spinosad	0.091	0.027	ND	ND	Tested	
Etofenprox	0.090	0.027	ND	Tested	Spiromesifen	0.090	0.027	ND	ND	Tested	
Etoxazole	0.090	0.027	ND	Tested	Spirotetramat	0.090	0.027	ND	ND	Tested	
Fenhexamid	0.090	0.027	ND	Tested	Spiroxamine	0.090	0.027	ND	ND	Tested	
Fenoxycarb	0.090	0.027	ND	Tested	Tebuconazole	0.090	0.027	ND	ND	Tested	
Fenpyroximate	0.090	0.027	ND	Tested	Thiaclorprid	0.090	0.027	ND	ND	Tested	
Fipronil	0.090	0.027	ND	Tested	Thiamethoxam	0.090	0.027	ND	ND	Tested	
Flonicamid	0.090	0.027	ND	Tested	Trifloxystrobin	0.090	0.027	ND	ND	Tested	
Fludioxonil	0.090	0.027	ND	Tested							

Date Tested: 02/09/2026

Testing Method: LC/MS/MS CON-P-5000; GC/MS/MS CON-P-12000



Ashley Phillips

Ashley Phillips
Laboratory Director
02/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

High There Peach Seltzer 10mg

Sample ID: 2601NBL0190.0552

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/28/2026

Completed: 02/09/2026

Expires: 02/09/2027

External Lot ID: T-261

Batch#: T-261

Client

Scofflaw Brewing Company

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com

Microbials

Complete

Analyte	LOD	Result	Status
Shiga Toxin-producing E. Coli	Cq	Cq	
Salmonella	40.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	40.000	ND	Tested

Method of Analysis: qPCR, CON-P-6000.

Analyte

LOD

Result

Status

Analyte	LOD	Result	Status
Aerobic Bacteria	CFU/g	CFU/g	
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	ND	Tested
E. Coli	10	ND	Tested

Method of Analysis: Petrifilm, CON-P-9000

Date Tested: 01/30/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
B1	PPB	PPB	PPB	PPB	
B2	1	4		ND	Tested
G1	1	4		ND	Tested
G2	1	4		ND	Tested
Total Aflatoxins	1	4		ND	Tested
Ochratoxin A	5	18		ND	Tested

Date Tested: 02/09/2026

Testing Method: LC/MS/MS, CON-P-5000

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
Arsenic	PPM	PPM	PPM	PPM	
Cadmium	0.046	0.092		ND	Tested
Lead	0.046	0.092		ND	Tested
Mercury	0.046	0.092		ND	Tested
Palladium	0.046	0.229		ND	Tested
Selenium	0.046	0.092		ND	Tested

Date Tested: 02/05/2026

Testing Method: ICP/MS, CON-P-7000.



Ashley Phillips

Ashley Phillips
Laboratory Director
02/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

High There Peach Seltzer 10mg

Sample ID: 2601NBL0190.0552

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/28/2026

Completed: 02/09/2026

Expires: 02/09/2027

External Lot ID: T-261

Batch#: T-261

Client

Scofflaw Brewing Company

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com

Residual Solvents

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Acetone	72.115	240.385		ND	Tested
Benzene	0.288	0.962		ND	Tested
n-Butane	66.346	221.154		ND	Tested
Isobutane	66.346	221.154		ND	Tested
Ethanol	72.115	240.385		ND	Tested
Ethyl Acetate	72.115	240.385		ND	Tested
Heptane	72.115	240.385		ND	Tested
n-Hexane	1.442	4.808		ND	Tested
2,2-Dimethylbutane	1.442	4.808		ND	Tested
3-Methylpentane	1.442	4.808		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.885	9.615		ND	Tested
Methanol	28.846	96.154		ND	Tested
Isopentane	66.346	221.154		ND	Tested
n-Pentane	28.846	96.154		ND	Tested
Neopentane	66.346	221.154		ND	Tested
2-Propanol	72.115	240.385		ND	Tested
Propane	288.462	961.538		ND	Tested
Toluene	0.144	0.481		ND	Tested
Ethylbenzene	0.144	0.481		ND	Tested
m/p-Xylene	0.144	0.481		ND	Tested
o-Xylene	0.144	0.481		ND	Tested
1,1-Dichloroethene	0.577	1.923		ND	Tested
1,2-Dichloroethane	0.577	1.923		ND	Tested
Ethylene Oxide	1.442	4.808		ND	Tested
Acetonitrile	5.769	19.231		ND	Tested
Chloroform	0.577	1.923		ND	Tested
Ethyl Ether	72.115	240.385		ND	Tested
2,3-Butanedione	28.846	96.154		ND	Tested

Date Tested: 02/09/2026
Testing Method: HS-GC/MS, CON-P-8000



Ashley Phillips

Ashley Phillips
Laboratory Director
02/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000