



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

High There Sweet Tea 10mg

Sample ID: 2601NBL0190.0553

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/28/2026

Completed: 02/09/2026

Expires: 02/09/2027

External Lot ID: T-262

Batch#: T-262

Client

Scofflaw Brewing Company

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com



Summary

Test	Date Tested	Result
Cannabinoids	01/29/2026	Complete
Residual Solvents	02/09/2026	Complete
Microbials	01/30/2026	Complete
Mycotoxins	02/09/2026	Complete
Pesticides	02/09/2026	Complete
Heavy Metals	02/05/2026	Complete
Foreign Matter	01/28/2026	Not Detected

Cannabinoids

Complete

9.778 mg/unit

Total THC

0.0027%

Δ9-THC

9.043 mg/unit

Total CBD

18.821 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
(6aR,9R)-d10-THC	mg/unit	mg/unit	ND	ND	ND
9R-HHC	0.9107	1.366	ND	ND	ND
(6aR,9S)-d10-THC	0.9107	1.366	ND	ND	ND
9S-HHC	0.9107	1.366	ND	ND	ND
CBC	0.9107	1.366	ND	ND	ND
CBCa	0.9107	1.366	ND	ND	ND
CBD	0.9107	1.366	9.043	0.02555	0.002
CBDa	0.9107	1.366	ND	ND	ND
CBDV	0.9107	1.366	ND	ND	ND
CBDVa	0.9107	1.366	ND	ND	ND
CBG	0.9107	1.366	ND	ND	ND
CBGa	0.9107	1.366	ND	ND	ND
CBN	0.9107	1.366	ND	ND	ND
CBNa	0.9107	1.366	ND	ND	ND
Δ8-THC	0.9107	1.366	ND	ND	ND
Δ9-THC	0.9107	1.366	9.778	0.02762	0.003
THCa	0.9107	1.366	ND	ND	ND
THCp	0.9107	1.366	ND	ND	ND
THCV	0.9107	1.366	ND	ND	ND
THCVa	0.9107	1.366	ND	ND	ND
Total THC			9.778	0.02762	0.003
Total CBD			9.043	0.02555	0.002
Total			18.821	0.05317	0.005

Date Tested: 01/29/2026

Density: 1 mL = 1.029 g, Unit Mass: 364.266 g, 1 Unit = 12 fl oz

Testing Method: HPLC, CON-P-3000

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected

Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%



Ashley Phillips

Ashley Phillips
Laboratory Director
02/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

High There Sweet Tea 10mg

Sample ID: 2601NBL0190.0553

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/28/2026

Completed: 02/09/2026

Expires: 02/09/2027

External Lot ID: T-262

Batch#: T-262

Client

Scofflaw Brewing Company

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
Abamectin	0.091	0.026	ND	Tested	Hexythiazox	0.087	0.026	ND	ND	Tested	
Acephate	0.087	0.026	ND	Tested	Imazalil	0.087	0.026	ND	ND	Tested	
Acequinocyl	0.087	0.026	ND	Tested	Imidacloprid	0.087	0.026	ND	ND	Tested	
Acetamiprid	0.087	0.026	ND	Tested	Kresoxim Methyl	0.087	0.026	ND	ND	Tested	
Aldicarb	0.087	0.026	ND	Tested	Malathion	0.087	0.026	ND	ND	Tested	
Azoxystrobin	0.087	0.026	ND	Tested	Metalaxyl	0.087	0.026	ND	ND	Tested	
Bifenazate	0.087	0.026	ND	Tested	Methiocarb	0.087	0.026	ND	ND	Tested	
Bifenthrin	0.087	0.026	ND	Tested	Methomyl	0.087	0.026	ND	ND	Tested	
Boscalid	0.087	0.026	ND	Tested	Mevinphos	0.087	0.026	ND	ND	Tested	
Captan	0.610	0.183	ND	Tested	Myclobutanil	0.087	0.026	ND	ND	Tested	
Carbaryl	0.087	0.026	ND	Tested	Naled	0.218	0.066	ND	ND	Tested	
Carbofuran	0.087	0.026	ND	Tested	Oxamyl	0.087	0.026	ND	ND	Tested	
Chlorantraniliprole	0.087	0.026	ND	Tested	Paclobutrazol	0.087	0.026	ND	ND	Tested	
Chlorfenapyr	0.070	0.026	ND	Tested	Methyl Parathion	0.070	0.026	ND	ND	Tested	
Chlorimequat	0.087	0.026	ND	Tested	Pentachloronitrobenzene	0.070	0.026	ND	ND	Tested	
Chlorpyrifos	0.087	0.026	ND	Tested	Permethrins	0.087	0.026	ND	ND	Tested	
Clofentezine	0.087	0.026	ND	Tested	Phosmet	0.087	0.026	ND	ND	Tested	
Coumaphos	0.087	0.026	ND	Tested	Piperonyl Butoxide	0.087	0.026	ND	ND	Tested	
Cyfluthrin	0.436	0.131	ND	Tested	Prallethrin	0.087	0.026	ND	ND	Tested	
Cypermethrin	0.436	0.131	ND	Tested	Propiconazole	0.087	0.026	ND	ND	Tested	
Daminozide	0.871	0.261	ND	Tested	Propoxur	0.087	0.026	ND	ND	Tested	
Diazinon	0.087	0.026	ND	Tested	Pyrethrins	0.436	0.131	ND	ND	Tested	
Dichlorvos	0.044	0.014	ND	Tested	Pyridaben	0.087	0.026	ND	ND	Tested	
Dimethoate	0.087	0.026	ND	Tested	Spinetoram	0.087	0.026	ND	ND	Tested	
Ethoprophos	0.087	0.026	ND	Tested	Spinosad	0.089	0.026	ND	ND	Tested	
Etofenprox	0.087	0.026	ND	Tested	Spiromesifen	0.087	0.026	ND	ND	Tested	
Etoxazole	0.087	0.026	ND	Tested	Spirotetramat	0.087	0.026	ND	ND	Tested	
Fenhexamid	0.087	0.026	ND	Tested	Spiroxamine	0.087	0.026	ND	ND	Tested	
Fenoxycarb	0.087	0.026	ND	Tested	Tebuconazole	0.087	0.026	ND	ND	Tested	
Fenpyroximate	0.087	0.026	ND	Tested	Thiacloprid	0.087	0.026	ND	ND	Tested	
Fipronil	0.087	0.026	ND	Tested	Thiamethoxam	0.087	0.026	ND	ND	Tested	
Flonicamid	0.087	0.026	ND	Tested	Trifloxystrobin	0.087	0.026	ND	ND	Tested	
Fludioxonil	0.087	0.026	ND	Tested							

Date Tested: 02/09/2026

Testing Method: LC/MS/MS CON-P-5000; GC/MS/MS CON-P-12000



Ashley Phillips

Ashley Phillips
Laboratory Director
02/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

High There Sweet Tea 10mg

Sample ID: 2601NBL0190.0553

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/28/2026

Completed: 02/09/2026

Expires: 02/09/2027

External Lot ID: T-262

Batch#: T-262

Client

Scofflaw Brewing Company

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com

Microbials

Complete

Analyte	LOD	Result	Status
Shiga Toxin-producing E. Coli	Cq	Cq	
Salmonella	40.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	40.000	ND	Tested

Method of Analysis: qPCR, CON-P-6000.

Analyte

LOD

Result

Status

Analyte	LOD	Result	Status
Aerobic Bacteria	CFU/g	CFU/g	
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	10	ND	Tested

Method of Analysis: Petrifilm, CON-P-9000

Date Tested: 01/30/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
B1	PPB	PPB	PPB	PPB	
B2	1	4		ND	Tested
G1	1	4		ND	Tested
G2	1	4		ND	Tested
Total Aflatoxins	1	4		ND	Tested
Ochratoxin A	5	17		ND	Tested

Date Tested: 02/09/2026

Testing Method: LC/MS/MS, CON-P-5000

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
Arsenic	PPM	PPM	PPM	PPM	
Cadmium	0.047	0.093		ND	Tested
Lead	0.047	0.093		ND	Tested
Mercury	0.047	0.093		ND	Tested
Palladium	0.047	0.233		ND	Tested
Selenium	0.047	0.093		ND	Tested

Date Tested: 02/05/2026

Testing Method: ICP/MS, CON-P-7000.



Ashley Phillips

Ashley Phillips
Laboratory Director
02/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

High There Sweet Tea 10mg

Sample ID: 2601NBL0190.0553

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/28/2026

Completed: 02/09/2026

Expires: 02/09/2027

External Lot ID: T-262

Batch#: T-262

Client

Scofflaw Brewing Company

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com

Residual Solvents

Complete

Analyte	LOD	LOQ	Limit	Result	Status
Acetone	64.655	215.517		ND	Tested
Benzene	0.259	0.862		ND	Tested
n-Butane	59.483	198.276		ND	Tested
Isobutane	59.483	198.276		ND	Tested
Ethanol	64.655	215.517		ND	Tested
Ethyl Acetate	64.655	215.517		ND	Tested
Heptane	64.655	215.517		ND	Tested
n-Hexane	1.293	4.310		ND	Tested
2,2-Dimethylbutane	1.293	4.310		ND	Tested
3-Methylpentane	1.293	4.310		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.586	8.621		ND	Tested
Methanol	25.862	86.207		ND	Tested
Isopentane	59.483	198.276		ND	Tested
n-Pentane	25.862	86.207		ND	Tested
Neopentane	59.483	198.276		ND	Tested
2-Propanol	64.655	215.517		ND	Tested
Propane	258.621	862.069		ND	Tested
Toluene	0.129	0.431		ND	Tested
Ethylbenzene	0.129	0.431		ND	Tested
m/p-Xylene	0.129	0.431		ND	Tested
o-Xylene	0.129	0.431		ND	Tested
1,1-Dichloroethene	0.517	1.724		ND	Tested
1,2-Dichloroethane	0.517	1.724		ND	Tested
Ethylene Oxide	1.293	4.310		ND	Tested
Acetonitrile	5.172	17.241		ND	Tested
Chloroform	0.517	1.724		ND	Tested
Ethyl Ether	64.655	215.517		ND	Tested
2,3-Butanedione	25.862	86.207		ND	Tested

Date Tested: 02/09/2026
Testing Method: HS-GC/MS, CON-P-8000



Ashley Phillips

Ashley Phillips
Laboratory Director
02/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000